


AUTHENTIC MINERAL SURFACES GIVING YOU A UNIQUE INDUSTRIAL LOOK FOR EVERY WALL AND SURFACE

WALLPARTURE is an amazing product that has to be seen to be believed, it was born from the idea of creating a product that could give you that real look and feel of industrial surfaces like concrete and rust but could be applied with the efficiency of applying a wallpaper but without neglecting the quality touch and feel of these industrial surfaces.



WALL RAPTURE PROMISES A UNIQUE INDUSTRIAL LOOK FOR EVERY WALL AND EVERY OBJECT

HANDMADE IN Germany to the highest standards by a company with years of experience in creative wall design combined with specialist know how in the production of concrete surfaces.

With this WALL RAPTURE WAS BORN giving you an amazing collection of authentic industrial look mineral surfaces all on a roll giving you a quality product that it quick and easy to apply.

PROCESSING

Processors are also impressed by the simple, clean and broad application. Thanks to their thin-layered and flexible nature, these wallpaper-like products can be applied quickly and quickly to almost all load-bearing surfaces.

Once applied, the flame-retardant and breathable membranes can be processed further with additional products such as glazes and seals.









This enables the craftsman to put his individual stamp on every building project. Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and modeling and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.









8 / WALL RAPTURE WALL RAPTURE / 9



WALL RAPTURE

CONCRETE STANDARD PAGE 11

CONCRETE STANDARD ANTHRACITE PAGE 13

RUST CONCRETE PAGE 15


RUST CONCRETE ANTHRACITE PAGE 17

VINTAGE CONCRETE PAGE 21

VINTAGE CONCRETE ANTHRACITE PAGE 23

RUST STANDARD PAGE 25





CONCRETE STANDARD

OUR "CLASSIC" CONCRETE STANDARD CONVINCES IN LOOK AND FEEL AND IS IN NO WAY INFERIOR TO A REAL CONCRETE WALL. THE INCORPORATED CAVITIES GIVE EVERY WALL A REALISTIC EXPOSED **CONCRETE LOOK.**

Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.

Product	
Material	Fleece Rock Dispersion
Format	300×100 cm ~ 1 cm
Total weight	0.8 kg / m2 ~ 0.2 kg / m2 (of which 0.04 kg / m2 fleece)
Total	1.2mm ~ 0.5mm
Roll weight	2.4 kg ~ 0.6 kg / m2
Packaging	Wallpaper glue and grout included

Features

- Features Authentic, standardized putty and rust surfaces
 - Mineral, over 70% natural rock material
 - 100% handmade in Germany
 - BPA, epoxy resin and odor free
 - CE certified
 - Real look and feel like real concrete and cortex bodies
 - Easy and quick processing, also on curves and edges
 - Breathable
 - Thin, light and flexible
 - Holds on all stable surfaces
 - Cheaper and faster transport
 - No construction dust and noise

Fire resistance: Fire behavior according to DIN EN 13501-1: 2010-10: C-s1, d0

^{*} also available in B-s1, d0



CONCRETE STANDARD ANTHRACITE

WE ALSO OFFER OUR "CLASSIC" CONCRETE STANDARD IN ANTHRACITE. AT THE CUSTOMER'S REQUEST, WE CAN ALSO PRODUCE OUR CONCRETE STANDARD IN OTHER COLORS.

Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.

Product

Material	Fleece Rock Dispersion
Format	300×100 cm ~ 1 cm
Total weight	0.8 kg / m2 ~ 0.2 kg / m2 (of which 0.04 kg / m2 fleece)
Total thickness	1.2mm ~ 0.5mm
Roll weight	2.4 kg ~ 0.6 kg / m2
Packaging	Wallpaper glue and grout included

Features

- Features Authentic, standardized putty and rust surfaces
 - Mineral, over 70% natural rock material
 - 100% handmade in Germany
 - BPA, epoxy resin and odor free
 - CE certified
 - Real look and feel like real concrete and cortex bodies
 - Easy and quick processing, also on curves and edges
 - Breathable
 - Thin, light and flexible
 - Holds on all stable surfaces
 - Cheaper and faster transport
 - No construction dust and noise

Fire resistance: Fire behavior according to DIN EN 13501-1: 2010-10: C-s1, d0

^{*} also available in B-s1, d0



RUST CONCRETE

IN OUR RUST CONCRETE WALLPAPER, THE VOIDS OF OUR "CLASSIC" ARE HIGHLIGHTED WITH RUST. THIS CREATES A SPECIAL INDUSTRIAL DESIGN WITH THAT CERTAIN SOMETHING.

Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.

Product

Material	Fleece Rock Dispersion
Format	300×100 cm ~ 1 cm
Total weight	0.8 kg / m2 ~ 0.2 kg / m2 (of which 0.04 kg / m2 fleece)
Total thickness	1.2mm ~ 0.5mm
Roll weight	2.4 kg ~ 0.6 kg / m2
Packaging	Wallpaper glue and grout included

Features

- Features Authentic, standardized putty and rust surfaces
 - Mineral, over 70% natural rock material
 - 100% handmade in Germany
 - BPA, epoxy resin and odor free
 - CE certified
 - Real look and feel like real concrete and cortex bodies
 - Easy and quick processing, also on curves and edges
 - Breathable
 - Thin, light and flexible
 - Holds on all stable surfaces
 - Cheaper and faster transport
 - No construction dust and noise

Fire resistance: Fire behavior according to DIN EN 13501-1: 2010-10: C-s1, d0

^{*} also available in B-s1, d0



RUST CONCRETE ANTHRACITE

WE ALSO PRODUCE OUR RUST CONCRETE WALLPAPER IN THE COLOR ANTHRACITE. THIS CREATES AN EVEN GREATER CONTRAST BETWEEN THE CONCRETE AND THE RUST. THIS CREATES A SPECIAL INDUSTRIAL DESIGN WITH THAT CERTAIN SOMETHING.

Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.

Product

Material	Fleece Rock Dispersion
Format	300×100 cm ~ 1 cm
Total weight	0.8 kg / m2 ~ 0.2 kg / m2 (of which 0.04 kg / m2 fleece)
Total thickness	1.2mm ~ 0.5mm
Roll weight	2.4 kg ~ 0.6 kg / m2
Packaging	Wallpaper glue and grout included

Features

- Features Authentic, standardized putty and rust surfaces
 - Mineral, over 70% natural rock material
 - 100% handmade in Germany
 - BPA, epoxy resin and odor free
 - CE certified
 - Real look and feel like real concrete and cortex bodies
 - Easy and quick processing, also on curves and edges
 - Breathable
 - Thin, light and flexible
 - Holds on all stable surfaces
 - Cheaper and faster transport
 - No construction dust and

Fire resistance: Fire behavior according to DIN EN 13501-1: 2010-10: C-s1, d0

^{*} also available in B-s1, d0





VINTAGE CONCRETE

IN OUR VINTAGE CONCRETE, CRACKS AND DEPRESSIONS CREATE A "WORN" STRUCTURE THAT MAKES FOR A PERFECT INDUSTRIAL WALL DESIGN.

Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.

Product

Material	Fleece Rock Dispersion
Format	300×100 cm ~ 1 cm
Total weight	0.8 kg / m2 ~ 0.2 kg / m2 (of which 0.04 kg / m2 fleece)
Total thickness	1.2mm ~ 0.5mm
Roll weight	2.4 kg ~ 0.6 kg / m2
Packaging	Wallpaper glue and grout included

Features

- Features Authentic, standardized putty and rust surfaces
 - Mineral, over 70% natural rock material
 - 100% handmade in Germany
 - BPA, epoxy resin and odor free
 - CE certified
 - Real look and feel like real concrete and cortex bodies
 - Easy and quick processing, also on curves and edges
 - Breathable
 - Thin, light and flexible
 - Holds on all stable surfaces
 - Cheaper and faster transport
 - No construction dust and noise

Fire resistance: Fire behavior according to DIN EN 13501-1: 2010-10: C-s1, d0

^{*} also available in B-s1, d0



VINTAGE CONCRETE ANTHRACITE

IN OUR VINTAGE CONCRETE, CRACKS AND DEPRESSIONS CREATE A "WORN" STRUCTURE IN THE COLOR ANTHRACITE, WHICH ENSURES A PERFECT INDUSTRIAL WALL DESIGN.

Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.

Product


Material	Fleece Rock Dispersion
Format	300×100 cm ~ 1 cm
Total weight	0.8 kg / m2 ~ 0.2 kg / m2 (of which 0.04 kg / m2 fleece)
Total thickness	1.2mm ~ 0.5mm
Roll weight	2.4 kg ~ 0.6 kg / m2
Packaging	Wallpaper glue and grout included

Features

- Features Authentic, standardized putty and rust surfaces
 - Mineral, over 70% natural rock material
 - 100% handmade in Germany
 - BPA, epoxy resin and odor free
 - CE certified
 - Real look and feel like real concrete and cortex bodies
 - Easy and quick processing, also on curves and edges
 - Breathable
 - Thin, light and flexible
 - Holds on all stable surfaces
 - Cheaper and faster transport
 - No construction dust and noise

Fire resistance: Fire behavior according to DIN EN 13501-1: 2010-10: C-s1, d0

^{*} also available in B-s1, d0



RUST STANDARD

REAL METALS ARE USED IN OUR RUST, WHICH CREATE AN AUTHENTIC AND HAPTICALLY REAL RUSTY LOOK. WITH OUR STANDARD GRATE, YOU CAN TRANSFORM WALLS OR OBJECTS INTO **REAL CORTEX BODIES.**

Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.


Product	
Material	Fleece Rock Dispersion
Format	300×100 cm ~ 1 cm
Total weight	0.8 kg / m2 ~ 0.2 kg / m2 (of which 0.04 kg / m2 fleece)
Total thickness	1.2mm ~ 0.5mm
Roll weight	2.4 kg ~ 0.6 kg / m2
Packaging	Wallpaper glue and grout included

Features

- Features Authentic, standardized putty and rust surfaces
 - Mineral, over 70% natural rock material
 - 100% handmade in Germany
 - BPA, epoxy resin and odor free
 - CE certified
 - Real look and feel like real concrete and cortex bodies
 - Easy and quick processing, also on curves and edges
 - Breathable
 - Thin, light and flexible
 - Holds on all stable surfaces
 - Cheaper and faster transport
 - No construction dust and noise

Fire resistance: Fire behavior according to DIN EN 13501-1: 2010-10: C-s1, d0

^{*} also available in B-s1, d0





Unit 7 Airton Close, Tallaght, D 24, Ireland

Tel: +353 1 567 6200 info@surfacewow.com

www.surfacewow.com