



SURFACE WOW



INSPIRING

WOW




SURFACE
WOW

READY TO
WOW
AND BE
WOWED

**COME VISIT OUR
WOW INSPIRING
SHOWROOM**





**SURFACE
WOW**

GET INSPIRED BY OUR PRODUCT RANGE

EASY TO SPECIFY
EASY TO STYLE
EASY TO INSTALL

WOW WALLS DESIGN ELEMENTS

Page 7

MAGNOLIA 3D WALL PANELS

Page 59

VISTAFOLIA®

Page 77

CORK DESIGN ELEMENTS

Page 97

MOSS DESIGN ELEMENTS

Page 151

WONDERWALL STUDIOS

Page 179

WOW WOODS

Page 199

GENCORK

Page 219

ORGANOIDS


Page 235

WALL RAPTURE

Page 255

FORM AT WOOD

Page 283



SURFACE WOW

WOW WALL 3D DESIGN ELEMENTS


CORAL 3D WOW ELEMENT	PAGE 15
RAY 3D WOW ELEMENT	PAGE 19
WING 3D WOW ELEMENT	PAGE 21
CONCORDIA	PAGE 29
KITE	PAGE 35
DIAMONDS	PAGE 39
CUBIC	PAGE 43
HEXAGON SLOPE	PAGE 49
SANDGLASS	PAGE 55

STEP 1: EASY TO SPECIFY


WALL TILES

Decorative panels for creative design of 3D walls. Adaptable for an original finish and unique interior.

CREATE AND SHAPE YOUR DREAMS!



CHOOSE THE PATTERN THAT SUITS YOUR STYLE AND CREATE A STUNNING AND INDIVIDUAL ENVIRONMENT.



STEP 2: EASY TO STYLE

Play around with various shapes and designs and combine with paint or Surface Wow design films to give you that finishing touch and unique look.



**SURFACE
WOW**




WRAP WITH DESIGN FILMS FOR
TEXTURE AND COLOUR FINISHES



PAINT FOR VARIETY OF COLOURS.

STEP 3:
EASY TO INSTALL



**SURFACE
WOW**




**SURFACE
WOW**

CORAL 3D WOW ELEMENT



Each individual CORAL wall tile is uniform and can be combined to create unique feature pieces. Designer Mac Stopa combines the definitive lines of geometry with the smooth irregular curves and shadow seen in water and coral. The CORAL wall tiles enable interiors to become a complete personal expression, with bespoke decor not found anywhere else. There are numerous possibilities for placing the CORAL wall tiles.




Thickness: 25mm
Circumference: Ø:380mm
Material: Polyurethane

- Material:**
High-density, yellow, rigid polyurethane foam.
- Colour:**
Matt white.
- Finishes Paint:**
The factory-primed wall tiles must be coated with a finishing paint. Water-based emulsion paints, acrylic or PU-based emulsion paints and alkyd resin paints are suitable.
- Finishes Wrapping:**
It is possible to wrap with Architectural Design Films.


Dimensions	
Panel Thickness	3D Tile 25mm
Surface Of A Single Panel	0.12m2
8 Panels	0.96m2
Weight Of A Single Panel	100g
Number Of Panels Per Single Tube Of Adhesive	20pcs

Please read the wall tiles data sheet and fixing instructions fully before installation.

WOW WALL



**SURFACE
WOW**



SURFACE WOW



RAY 3D WOW ELEMENT



Designer Mac Stopa has combined the fluidity of nature with geometric shapes. The RAY wall tiles won the Red Dot Design Award. These modern wall tiles enhance both homes and professional spaces by adding a creative and personal element. Creatively decorate walls by placing the RAY tiles in different directions to produce an eye-catching and personalised interior design.

Material:

High-density, yellow, rigid polyurethane foam.

Colour:


Matt white.

Finishes Paint:

The factory-primed wall tiles must be coated with a finishing paint. Water-based emulsion paints, acrylic or PU-based emulsion paints and alkyd resin paints are suitable.

Finishes Wrapping:

It is possible to wrap with Architectural Design Films.



Dimensions

Panel Thickness	3D Tile 33mm
Tile Size	H: 320mm x W: 550mm
Surface Of A Single Panel	0.08m ²
12 Panels	0.96m ²
Weight Of A Single Panel	60g
Number Of Panels Per Single-Tube Of Adhesive	40pcs

Please read the wall tiles data sheet and fixing instructions fully before installation.



**SURFACE
WOW**

WING 3D WOW ELEMENT



For a flight towards a more graphical freedom.

Designer Mac Stopa utilises shape and shadow to replicate patterns seen in nature. Geometric shapes ensure the WING wall tiles are a versatile feature piece. The WING wall tile facilitates the creation of bespoke designs. There are endless possible combinations for placing WING wall tiles, allowing complete personal expression within the finished result.

Material:

High-density, yellow, rigid polyurethane foam.

Colour:


Matt white.

Finishes Paint:

The factory-primed wall tiles must be coated with a finishing paint. Water-based emulsion paints, acrylic or PU-based emulsion paints and alkyd resin paints are suitable.

Finishes Wrapping:

It is possible to wrap with Architectural Design Films.



Dimensions

Panel Thickness	3D Tile 25mm
Tile Size	H: 175mm x W: 250mm
Surface Of A Single Panel	0.04m ²
25 Panels	1m ²
Weight Of A Single Panel	60g
Number Of Panels Per Single-Tube Of Adhesive	40pcs

Please read the wall tiles data sheet and fixing instructions fully before installation.



**SURFACE
WOW**

***GIVE YOUR
BRAND A
FEATURE WALL
WITH COLOUR
AND TEXTURE.***

LB







**SURFACE
WOW**

CONCORDIA




The panels are put together in a unique way – alternately in natural and inverted positions. In this way, convex shapes interpenetrate with concave ones creating a geometric mosaic.




Dimensions

Height	600 mm
Width	300 mm
Thickness (max)	26 mm
Surface	0,09 m2
Weight	0,4 kg
Number of glued panels with 1 tube of glue	30 pcs
Number of pieces needed to cover 1 m2	11,1 pcs

- The product comes finished and varnished to a high standard.
- Give us the measurements of your walls, include exposed edges that may require the shape to be cut and we will return to you with pricing and quantities required per project. And in just a few steps you have a 3D work of art.
- 15 standard colours available.
- Or choice from a RAL palette.





**SURFACE
WOW**






SURFACE WOW



KITE




Kite is based on a simple idea of two shapes set together inversely. The visual effect consists of polygons arranged in a modern 3D mesh. Each basic area reflects light individually creating outstanding impressions.




Dimensions

Height	600 mm
Width	300 mm
Thickness (max)	26 mm
Surface	0,09 m2
Weight	0,4 kg
Number of glued panels with 1 tube of glue	30 pcs
Number of pieces needed to cover 1 m2	11,1 pcs


- The product comes finished and varnished to a high standard.
- Give us the measurements of your walls, include exposed edges that may require the shape to be cut and we will return to you with pricing and quantities required per project and in just a few steps you have a 3D work of art.
- 15 standard colours available.
- Or choice from a RAL palette.
- Wrap with Architectural design films for texture and design if shape allows it.





**SURFACE
WOW**





**SURFACE
WOW**

DIAMONDS



Timeless sophistication


The perfect proportions of a diamond bring serenity to every interior. Diamonds are perfect for decorating your living room, home office, board room or commercial spaces.



Dimensions

Height	600 mm
Width	300 mm
Thickness (max)	26 mm
Surface	0,09 m2
Weight	0,4 kg
Number of glued panels with 1 tube of glue	30 pcs
Number of pieces needed to cover 1 m2	11,1 pcs

- The product comes finished and varnished to a high standard.
- Give us the measurements of your walls, include exposed edges that may require the shape to be cut and we will return to you with pricing and quantities required per project. And in just a few steps you have a 3D work of art.
- 15 standard colours available or choose from a RAL palette.
- Wrap with Architectural design films for texture and design if shape allows it.





**SURFACE
WOW**





CUBIC



A 3D work of art

Replace your flat wall with our 3D work of art. This is an amazing feature wall; element and the right illumination will bring true depth. Cubic is ideal for coming up with your own personalised designs.

White

Ecru

Yellow

Black

Red

Cappuchino

Light Gray

Blue

Maritime

Gray

Graphite

Pistachio

Coral


Navy Blue

Bottle Green


- The product comes finished and varnished to a high standard.
- Give us the measurements of your walls, include exposed edges that may require the shape to be cut and we will return to you with pricing and quantities required per project. And in just a few steps you have a 3D work of art.
- 15 standard colours available or choose from a RAL palette.
- Wrap with Architectural design films for texture and design if shape allows it.

Dimensions


Height	330 mm
Width	286 mm
Thickness (max)	26 mm
Surface	0,07m2
Weight	0,3 kg
Number of glued panels with 1 tube of glue	40 pcs
Number of pieces needed to cover 1 m2	14 pcs




WOW




**SURFACE
WOW**



**SURFACE
WOW**





SURFACE WOW

HEXAGON SLOPE



Let your imagination run wild


There are two variants -flat and slanting, with a little bit of imagination you can combine them to create an amazing feature wall, mix and match colours and texture and design and achieve a stunning WOW WALL.




- The product comes finished and varnished to a high standard.
- Give us the measurements of your walls, include exposed edges that may require the shape to be cut and we will return to you with pricing and quantities required per project. And in just a few steps you have a 3D work of art.
- 15 standard colours available or choose from a RAL palette.
- Wrap with Architectural design films for texture and design if shape allows it.


Hexagon Dimensions

Surface	0,07 m2
Width	286mm
Height	330mm
14 Panels	0.98 m2
Weight Of A Single Panel	200g
Number of pieces needed to cover 1m2	14 pcs
Thickness	0,6 - 2,4 cm
Weight	0,3 kg





SURFACE WOW



SURFACE WOW





**SURFACE
WOW**

SANDGLASS




The gentle lines of these panels complement each other, creating a never ending subtle pattern. The original structure of sandglass can easily be brought out by the use of side light (when arranged vertically) or upper light when arranged horizontally. The panels are arranged in a unique way - alternately in a natural and inverted position. In this way, convex shapes merge with concave ones, creating a geometric mosaic.




Dimensions

Height	600 mm
Width	600 mm
Thickness (max)	16 mm
Surface	0,36m2
Weight	1.2 kg
Number of glued panels with 1 tube of glue	7 pcs
Number of pieces needed to cover 1 m2	2.7 pcs

- standard color: 5 pcs, other color: 10 pcs.
- The product comes finished and varnished to a high standard.
- Give us the measurements of your walls, include exposed edges that may require the shape to be cut and we will return to you with pricing and quantities required per project. And in just a few steps you have a 3D work of art.
- 15 standard colours available or choice from a RAL palette.
- Wrap with Architectural design films for texture and design if shape allows it.






**SURFACE
WOW**



WOW WALL



**SURFACE
WOW**

MAGNOLIA
3D WALL PANELS



MORE RESISTANCE LESS WEIGHT



MAGNOLIA panels are made of SMC (SHEET MOULDING COMPOUND), an extremely light and resistant material used in automotive and health industries. For all these reasons, our panels have a guarantee of ten years.




**SURFACE
WOW**

ACCURATELY DESIGNED FOR A PERFECT FINISH.

- Perfect for wet rooms.
- Great thermal resistance (these panels do not contract or expand) and Inalterable to climate changes and UVA rays.
- Perfectly aligned joints barely perceptible and without the need for grouting.
- Suitable for indoor and outdoor spaces.
- Made of SMC (Sheet Moulding Compound).
- Lighter than other coatings.
- Highly resistant to impact and chemical.
- Accurately designed for a perfect finish.
- Classification of Reaction to fire: B-s2,d0.



**SURFACE
WOW**




SURFACE WOW

MAGNOLIA 3D WALL PANELS

KOMODO	PAGE 67
MARTINIQUE	PAGE 69
SUMATRA	PAGE 71
THAILAND	PAGE 73





KOMODO

BUILT ON THE PHILOSOPHY OF QUALITY, DESIGN AND RESISTANCE.
Inspired by the Komodo dragon skin texture. Magnolia 3D panels are very durable impact resistant panels, dimensionally stable, no thermal contraction or expansion, high resistance to aggressive chemicals and UV rays. Fire resistance and reaction to fire certified B-s2, do. The panels are non porous and easy to clean, easy installation without skilled labour.

Product		Specifications	
Material	The 3D panels are made from one of the most resistant materials on the market: SMC Sheet moulding compound.	Material	Sheet Moulding Compound
Colour	Jasmine rice RAL 9003 Lavastone RAL 7044 Cardamon RAL 7066 Cocoa RAL 8017 Nacre RAL 9002 Black Pearl RAL 7015 Black Beetle RAL 9005	Durability	Indoor / Outdoor 10 Years
		Panel Thickness	3D Tile 40mm
		Tile Size	H: 830mm x W: 830mm
		Surface Of A Single Panel	0.68m2
		Weight Of A Single Panel	Between 4-5kg per panel
Finishes Paint	Gold Chrome Gold Peral Silver chrome		
Finishes Wrapping	It is possible to wrap with Architectural Design Films.		
Roll weight	2.4 kg ~ 0.6 kg / m2		




MARTINIQUE

BUILT ON THE PHILOSOPHY OF QUALITY, DESIGN AND RESISTANCE.
This model is as sinuous as the waves of the Caribbean sea, which bath the beaches of this paradisiacal island. Magnolia 3D panels are very durable impact resistant panels, dimensionally stable, no thermal contraction or expansion, high resistance to aggressive chemicals and UV rays. Fire resistance and reaction to fire certified B-s2, do. Te panels are non porous and easy to clean, easy installation without skilled labour.

Product		Specifications	
Material	The 3D panels are made from one of the most resistant materials on the market: SMC Sheet moulding compound.	Material	Sheet Moulding Compound
Colour	Jasmine rice RAL 9003 Lavastone RAL 7044 Cardamon RAL 7066 Cocoa RAL 8017 Nacre RAL 9002 Black Pearl RAL 7015 Black Beetle RAL 9005	Durability	Indoor / Outdoor 10 Years
Finishes Paint	Gold Chrome Gold Peral Silver chrome	Panel Thickness	3D Tile 40mm
Finishes Wrapping	It is possible to wrap with Architectural Design Films.	Tile Size	H: 830mm x W: 830mm
Roll weight	2.4 kg ~ 0.6 kg / m2	Surface Of A Single Panel	0.68m2
		Weight Of A Single Panel	Between 4-5kg per panel






SUMATRA

BUILT ON THE PHILOSOPHY OF QUALITY, DESIGN AND RESISTANCE.

Inspired by the stripes on the fur of the Sumatran tiger. Magnolia 3D panels are very durable impact resistant panels, dimensionally stable, no thermal contraction or expansion, high resistance to aggressive chemicals and UV rays. Fire resistance and reaction to fire certified B-s2, do. Te panels are non porous and easy to clean, easy installation without skilled labour.

Product		Specifications	
Material	The 3D panels are made from one of the most resistant materials on the market: SMC Sheet moulding compound.	Material	Sheet Moulding Compound
Colour	Jasmine rice RAL 9003 Lavastone RAL 7044 Cardamon RAL 7066 Cocoa RAL 8017 Nacre RAL 9002 Black Pearl RAL 7015 Black Beetle RAL 9005	Durability	Indoor / Outdoor 10 Years
Finishes Paint	Gold Chrome Gold Peral Silver chrome	Panel Thickness	3D Tile 40mm
Finishes Wrapping	It is possible to wrap with Architectural Design Films.	Tile Size	H: 830mm x W: 830mm
Roll weight	2.4 kg ~ 0.6 kg / m2	Surface Of A Single Panel	0.68m2
Packaging	Wallpaper glue and grout included	Weight Of A Single Panel	Between 4-5kg per panel





THAILAND

BUILT ON THE PHILOSOPHY OF QUALITY, DESIGN AND RESISTANCE.

A tribute to the pagodas of Thailand and the beauty of Asian temples. Magnolia 3D panels are very durable impact resistant panels, dimensionally stable, no thermal contraction or expansion, high resistance to aggressive chemicals and UV rays. Fire resistance and reaction to fire certified B-s2, do. Te panels are non porous and easy to clean, easy installation without skilled labour.

Product		Specifications	
Material	The 3D panels are made from one of the most resistant materials on the market: SMC Sheet moulding compound.	Material	Sheet Moulding Compound
Colour	Jasmine rice RAL 9003 Lavastone RAL 7044 Cardamon RAL 7066 Cocoa RAL 8017 Nacre RAL 9002 Black Pearl RAL 7015 Black Beetle RAL 9005	Durability	Indoor / Outdoor 10 Years
Finishes Paint	Gold Chrome Gold Peral Silver chrome	Panel Thickness	3D Tile 40mm
Finishes Wrapping	It is possible to wrap with Architectural Design Films.	Tile Size	H: 830mm x W: 830mm
Roll weight	2.4 kg ~ 0.6 kg / m2	Surface Of A Single Panel	0.68m2
		Weight Of A Single Panel	Between 4-5kg per panel









**SURFACE
WOW**

HOW TO CREATE YOUR ARTIFICIAL GREEN WALL

AS SIMPLE AS
1, 2, 3.

1. VISTAFOLIA PANEL

Each basic pack contains
3 panels



2. COLOUR & TEXTURE BOXES

Customise the look of your green wall



3. FIXINGS

Use our fixings for a neat and
reliable installation




Vistafolia® Panels

The key component of Vistafolia®'s unique artificial wall solution is the Vistafolia® Panel, which is used to create the stunning vertical gardens.



UV-IFR Technology



Each panel measures
80 cm x 80 cm / 31.5" x 31.5"




Tested & Certified



Lightweight system of
7 kg / 15.5 pounds per panel



Quality Standard



Low Maintenance



Each basic pack
contains 3 Panels


The mark of quality

Every plant is stamped with a VG authenticity mark to help our customers avoid inferior imitations. Quite simply, Vistafolia® are setting the industry standard.



Unique 3-Panel Solution

The Vistafolia® solution uses a unique three-panel system to create a totally natural look without repetition or visible joins.



The future of artificial green walls is here


Vistafolia®'s lush artificial green wall system panels have been designed to create a beautiful green environment with a realistic effect even in the most inhospitable planting locations.

ADD COLOUR AND TEXTURE

Simply slot the plants in to add a burst of vibrant colours and extra depth to your vistafolia panels and to give you the look and finish you desire.



Cascading greens blended with stunning blue lavender and blossoms.




A timeless combination of elegant pink flowers and earthy green plants.



Lovely mix of summer blossoms and grasses dotted with delicate white flowers




Bold red-flowering Pieris accompanied by lush green foliage.



A tumble of wild grasses and earthy ferns merged with green-fused and delicate flowers.



A selection of large 18" grasses, shades of green and burgundy.



Trailing ivy for a trailing finish that can be used to add volume, or even as a standalone plant for baskets and planters.



Trailing buxus for a trailing finish that looks at home on the panel, or adding an extra dimension to an indoor or outdoor display.

YOUR WALL YOUR WAY

Each box of additional foliage contains enough plants for around 10 panels and gives you the tools you need to create a truly bespoke finish.

TWININGS



**SURFACE
WOW**




**SURFACE
WOW**




**WORKPLACE WELLBEING HAS
BECOME A TOP PRIORITY FOR
TODAYS LEADING COMPANIES.
GREEN ENVIRONMENTS
ARE KNOWN TO BOOST
PRODUCTIVITY.**

**"CHANGING THE
RULES OF THE GAME"
-HELIS**





**GREEN WALLS HELP
CREATE UPLIFTING
ENVIRONMENTS.**



**SURFACE
WOW**



CORK DESIGN ELEMENTS

RUSTICORK / BARK	PAGE 115
RUSTICORK / BLUEMOON	PAGE 119
RUSTICORK / SLATE	PAGE 123
3D FORMS / PYRAMID BLUEMOON	PAGE 127
3D FORMS / PYRAMID NATURAL	PAGE 131
MODULAR BLUEMOON	PAGE 133
TATAMI CORK WALL TILES	PAGE 135
WOW CORKWALL STRIPE	PAGE 137
WOW CORKWALL KITE	PAGE 143
WOW CORKWALL LINE	PAGE 147

**CHOOSE THE WOW
WALL PRODUCT THAT
SUITS YOUR STYLE AND
ENJOY THE AMAZING
VISUAL IMPRESSION
EVERY DAY.**



SURFACE WOW



CHOOSE YOUR STYLE.

**A SELECTION OF TEXTURE,
COLOR AND DESIGN.**

Rusticork
Bark / Bluemoon



Rusticork
Bark



Rusticork
Slate



Tatami Cork Wall
Tiles / Natural



Modular
Bluemoon



Wow
Corkwall
Stripe



Pyramid
Natural



Pyramid
Bluemoon



Wow
Corkwall Kite



Wow
Corkwall Line



SURFACE WOW



**BRING YOUR
BRAND TO
LIFE WITH EYE
CATCHING WOW
WALLS.**

WOW WALL




WOW WALL



**SURFACE
WOW**



**ENJOY THE AMAZING
VISUAL IMPRESSION
EVERY DAY.**





RUSTICORK / BARK



RUSTICORK tiles and panels create natural, bold, unique and beautiful walls that only cork, obtained directly from the bark of the cork oak tree, can offer. The cork bark is particularly popular due to its low weight and uncomplicated installation on the wall.

Description

- Glue-on wall installation
- CORKGUARD® finished
- Safe and easy to handle and install
- Increases the thermal comfort
- Reduces airborne noise
- No toxic gases when burning
- No PVC and no softeners or other chemicals hazardous to health or the environment
- Natural, biodegradable and recyclable product

Material:

Cork, granulated and plain pieces of different sizes, shapes and qualities depending on the design type; Polyurethane cork binder.

Dimensions:

600 x 300 mm

Thickness:

25mm -35mm

Colours:

Natural cork bark

Design:

3D Installation

Application:

Wall design

Application example:

Anywhere you want to make the interior unique, office walls, hospitality, retail spaces, exhibition stands, reception areas and home.





SURFACE WOW



RUSTICORK / BLUEMOON



RUSTICORK tiles and panels create natural, bold, unique and beautiful walls that only cork, obtained directly from the bark of the cork oak tree, can offer. The cork bark is particularly popular due to its low weight and uncomplicated installation on the wall.

Description

- Glue-on wall installation
- CORKGUARD® finished
- Safe and easy to handle and install
- Increases the thermal comfort
- Reduces airborne noise
- No toxic gases when burning
- No PVC and no softeners or other chemicals hazardous to health or the environment
- Natural, biodegradable and recyclable product

Material:

Cork, granulated and plain pieces of different sizes, shapes and qualities depending on the design type; Polyurethane cork binder.

Dimensions:

600 x 300 mm

Thickness:

25mm -35mm

Colours:

Bluemoon

Design:

3D INSTALLATION


Application:

Wall design

Application example:

Anywhere you want to make the interior unique, office walls, hospitality, retail spaces, exhibition stands, reception areas and home.

SURFACE WOW



**SURFACE
WOW**



RUSTICORK / SLATE



RUSTICORK tiles and panels create natural, bold, unique and beautiful walls that only cork, obtained directly from the bark of the cork oak tree, can offer. The cork bark is particularly popular due to its low weight and uncomplicated installation on the wall.

Description

- Glue-on wall installation
- CORKGUARD® finished
- Safe and easy to handle and install
- Increases the thermal comfort
- Reduces airborne noise
- No toxic gases when burning
- No PVC and no softeners or other chemicals hazardous to health or the environment
- Natural, biodegradable and recyclable product

Material:

Cork, granulated and plain pieces of different sizes, shapes and qualities depending on the design type; Polyurethane cork binder.

Dimensions:

600 x 300 mm

Thickness:

25mm -35mm

Colours:

Natural pressed cork bark

Design:

3D INSTALLATION

Application:

Wall design


Application example:

Anywhere you want to make the interior unique, office walls, hospitality, retail spaces, exhibition stands, reception areas and home.





3D FORMS / PYRAMID BLUEMOON




3D Cork Wall Tiles

3DFORMS modular cork tiles combine in various arrays to create unique three-dimensional patterns that add depth and identity to vertical surfaces. Delivering an endless amount of creative possibilities, 3DFORMS provides a one-of-a-kind texture with enhanced intrinsic acoustic and thermal properties.

100% post-industrial recycled natural cork
Glued installation

CORKGUARD® finished



Dimensions:

150 x 150 x 30 mm
300 x 300 x 30 mm

Colours:

Blue moon

Design:

3D INSTALLATION

Application:

Wall design

Application example:


Anywhere you want to make the interior unique, office walls, hospitality, retail spaces, exhibition stands, reception areas and home.


Technical information:

Thickness: 30mm

Acoustics: Reduction of airborne noise

WOW WALL





SURFACE WOW

3D FORMS / PYRAMID NATURAL



3D Cork Wall Tiles


3DFORMS modular cork tiles combine in various arrays to create unique three-dimensional patterns that add depth and identity to vertical surfaces.

Delivering an endless amount of creative possibilities, 3DFORMS provides a one-of-a-kind texture and enhanced intrinsic acoustic and thermal properties.

100% post-industrial recycled natural cork
Glued installation

Material :

Granulated cork 2.0-3.0 mm size and 45/50 Kg/m³ density. Polyurethane cork binder. CORKGUARD® Aqueous dispersion (clear or coloured).



Dimensions

150 x 150 x 30 mm
300 x 300 x 30 mm

Colours:

NATURAL

Design:

3D INSTALLATION

Application:

Wall design

Application example

Anywhere you want to make the interior unique, office walls, hospitality, retail spaces, exhibition stands, reception areas and home.

Technical information

Thickness:

30mm

Acoustics:


Reduction of airborne noise

Installation:

Fully bonded with suitable adhesive

Environment:

3D FORM tiles are made using more than 90% cork, which is a renewable raw material. It contains no PVC and no softeners or other substances hazardous to health or the environment.



MODULAR BLUEMOON



Solid agglomerated cork tiles to be used as wallcoverings within buildings, contributing significantly to the acoustic and thermal performance of buildings, improving environmental comfort and reducing energy costs. Tiles are shaped by CNC machining (3 different designs) and finished with a waterbased protector for increased water and stain resistance.

Material:

100% post-industrial recycled natural cork
Glued installation
CORKGUARD finished

Dimensions

580 x 580 x 7 mm

Colour

BLUEMOON

Design

3D Installation

Application

Wall design

Application example

Anywhere you want to make the interior unique, office walls, hospitality, retail spaces, exhibition stands, reception areas and home. Technical information

Thickness

7mm

Acoustics

Reduction of airborne noise

Installation

Fully bonded with suitable adhesive

Environment

3D FORM tiles are made using more than 90% cork, which is a renewable raw material. It contains no PVC and no softeners or other substances hazardous to health or the environment.



TATAMI CORK WALL TILES



Solid agglomerated cork tiles to be used as wallcoverings within buildings, contributing significantly to the acoustic and thermal performance of buildings, improving environmental comfort and reducing energy costs. Tiles are textured by pressure moulding and finished with a waterbased protector for increased water and stain resistance.

Materials:

100% post-industrial recycled natural cork
Glued installation
CORKGUARD finished

Dimensions

600 x 300 x 4mm

Colour

Natural

Design

3D Installation

Application

Wall design

Application example

Anywhere you want to make the interior unique, office walls, hospitality, retail spaces, exhibition stands, reception areas and home. Technical information

Thickness

4mm

Acoustics

Reduction of airborne noise ISO 354
Weighted sound absorption coefficient
 $\alpha_w = 0.06$

Installation

Fully bonded with suitable adhesive

Environment

3D FORM tiles are made using more than 90% cork, which is a renewable raw material. It contains no PVC and no softeners or other substances hazardous to health or the environment.



WOW CORKWALL STRIPE



Wow Corkwall Stripe is a collection of environment friendly 3D wall panels made of recycled of cork. It is a combination of design, quality, care for the environment and inspired by nature. All panels are made of renewable, recyclable and biodegradable cork material.

Corkwall is a unique 3D wall decoration that completes any interior.



Thanks to their shape, corkwall panels can be arranged in one direction, create symmetrical patterns or create a unique composition. There are countless combinations.


Dimensions

Packs:
Panels to make up
1sq metre: 19


Weight:
230G Natural/
250g Coloured

Thickness:
13mm






**SURFACE
WOW**



SURFACE WOW





WOW CORKWALL KITE



Wow Corkwall Kite is a collection of environment friendly 3D wall panels made of recycled cork. It is a combination of design, quality, care for the environment and inspired by nature. All panels are made of renewable, recyclable and biodegradable cork material.

Corkwall is a unique 3D wall decoration that completes any interior. Thanks to their shape, corkwall panels can be arranged in one direction, create symmetrical patterns or create a unique composition.



There are countless combinations.

**Panels to make up
1sq metre:**

40





Weight:



150g Natural/ 180g
Coloured

Thickness:

20mm – 30mm

Dimensions:





**SURFACE
WOW**



WOW CORKWALL LINE



Wow Corkwall Line is a collection of environment friendly 3D wall panels made of recycled of cork. It is a combination of design, quality, care for the environment and inspired by nature. All panels are made of renewable, recyclable and biodegradable cork material.

Thanks to their shape, corkwall panels can be arranged in one direction, create symmetrical patterns or create a unique composition.



There are countless combinations.

Panels to make up 1sq metre:
19

Weight:
230g Natural/ 250g Coloured

Thickness:
5mm – 30mm

Dimensions:







SURFACE WOW

MOSS DESIGN
ELEMENTS



A woman with long brown hair, wearing a white lab coat, is shown from the side, reaching out to touch a vibrant green moss wall. The wall is made of a dense, textured material. In the background, a large, light-colored letter 'S' is visible on a brown, textured wall. The word 'SUR' is partially visible in large, light-colored letters. The overall scene is brightly lit, emphasizing the green of the moss and the white of the lab coat.

**PERMANENTLY SOFT AND
GREEN NATURAL MOSS FOR
AMAZING INTERIOR MOSS
WALLS.**

EASY INSTALLATION

The natural Standard Moss Panel is particularly popular due to its light weight and uncomplicated installation on the wall. The moss sheets can easily be cut to size for mounting using standard tools. Ideally, they are stapled to a wooden substrate, although they can also be screwed to the substrate or glued to it directly.



**SURFACE
WOW**



Because of the lightweight (HDF) backboards we use, which can be bent in either direction, you can also create moss walls around rounded or arched surfaces such as pillars or corners. The only limit is your imagination.



STEP 1 PICK YOUR COLOUR



MOSS GREEN

Our Evergreen Moss Standard 100 % genuine moss panels have been developed for fast and straightforward self-installation. The natural moss panels are suitable for flat, convex or concave mounting around objects or installation as a moss wall. Our Evergreen Moss Panels are specially preserved reindeer moss, fastened to flexible 380 x 580 mm panels. They are made of the same reindeer moss as our Evergreen Moss Premium product and don't need light, water or feeding.



APPLE GREEN

Panel Size

Evergreen Moss Standard: 380 x 580 mm boards. 5 panels covers 1.1m²

- 100% natural moss
- Natural & maintenance-free
- No light, watering or feeding required subject to recommended humidity of 40% to 60%
- Easy to mount
- Easy to combine multiple panels
- B1 fire resistance on request
- Up to 90% sound absorbent



FLEXIBLE INSTALLATION

Because of the lightweight (HDF) backboards we use (which can be bent in either direction), you can also create moss walls around rounded or arched surfaces such as pillars or corners. The only limit is your imagination.



EASY INSTALLATION

The moss boards can be stapled (for example, with an electric staple gun), screwed or glued directly onto a wooden substrate.



SURFACE WOW

**PREMIUM
NATURAL SURFACES
FOR A UNIQUE
GUEST EXPERIENCE.**



**SURFACE
WOW**






***PREMIUM NATURAL
SURFACES FOR A
UNIQUE GUEST
EXPERIENCE.***



***SURFACE
WOW***



**SURFACE
WOW**



**COMBINE GREENHILLS
MOSS WALLS WITH RAISED
LOGOS TO CREATE UNIQUE
EYE CATCHING WOW
WALLS**

GREENHILL MOSS



THE FACTS

Whatever you're designing, from wall pictures to complete walls, Greenhill Moss Premium always gives you a green work of art. The green cushion moss is great for unusual wall, ceiling and object design. With their sound-absorbent properties, the moss pictures make a significant contribution towards well-being at home and in the workplace.

On request, we can also custom produce designs with Greenhill Moss Premium, using arched mounts, for example, to produce stunning 3D.

MATERIAL

Real cushion moss bonded to MDF backboard

DIMENSIONS

Standard dimensions: to customer specifications, custom dimensions on request, pieces can be combined to cover large areas.

COLOURS

Moss Green (standard)
Apple Green (option)

DESIGN

2D and 3D installations

APPLICATIONS


Wall and ceiling design, room dividing, furniture and object construction (indoor).

APPLICATION EXAMPLES


Office and living space design, exhibitions, hotels and shopfitting, wellness/relaxation rooms, hospitality, reception and conference rooms.

Technical Information

Thickness	Top Layer: Approx. 30mm to 60mm, on 10mm MDF backboard
Weight	Approx. 10kg to 12kg per m2 (moss incl. MDF backboard)
Fire Resistance	Panels: B1 certified on request, standard: B2
Acoustics	Sound absorbent
Installations	Self mounting is possible with the aid of our fixing rails and frame system. Individual sheets may, however, also be screwed or glued directly to the wall.



**THE MOSS SURFACE
PROVIDES AN ADDITIONAL
BENEFIT BY ABSORBING
REFLECTED SOUND IN THE
IMMEDIATE VICINITY.**




**SURFACE
WOW**



**MOSS LETTERING, LOGOS AND
CUSTOM DESIGNS: AS UNIQUE
AS YOU ARE!**

**EVERGREEN PREMIUM MOSS'
VARIOUS COLOURS AND
FREE-FORM SHAPES CAN BE
COMBINED HOWEVER YOU LIKE
TO CREATE UNIQUE AND EYE-
CATCHING EFFECTS.**



SURFACE WOW

WONDERWALL STUDIOS

THE BOG OAK COLLECTION	PAGE 188
THE WALNUT COLLECTION	PAGE 190
THE RECLAIMED TEAK COLLECTION	PAGE 192
THE MIXED SALVAGED COLLECTION	PAGE 194
THE SALVAGED PINE COLLECTION	PAGE 196
THE OLICE WOOD COLLECTION	PAGE 196

WONDERWALL STUDIOS THIS IS THEIR STORY

MISSION

To create joyous panelling from salvaged woods that enriches surfaces and enhances your interior. We strive for the highest quality to produce panelling that will last a lifetime.

HOW

We scour the land for woods that can be salvaged and upcycled, giving discarded timber a second lease on life. Typically, we'll turn a weathered girder into a striking collection of unique wall tiles. It's a reincarnation of sorts.

WHY

We love wood and working with craftspeople. We love salvaging woods, breathing new life into something old, worn and weathered. We love exploration and travel. We love design and having fun with like-minded souls. That's why we do what we do the way we do it.


SHOWING THE WOW

We've created our own wow-inspiring showroom where you can find Wonderwall Studios products for the walls and surfaces of your latest project.









**SURFACE
WOW**

BOG OAK COLLECTION



LEDGER



RIDGE



CLUE



VELVET



HARVEST



SAGE



THE WALNUT COLLECTION



MAZE



TRACES



BLADES



CREST




LEAF



NOTES



FLOAT



THE RECLAIMED TEAK COLLECTION



JAZZ



CAMEO



WICKER



TOTEM



CURRENT



PHEONIX



MILES



WILLOW



COAST



JUNGLE



WINGS



SILVER



THE MIXED SALVAGED COLLECTION



JAGGER



PARKER



DAYS



WHEELS



GALLON



SPRINGS



TRAIN



LUDLOW





BARROW




THE OLIVE WOOD COLLECTION



WAVES



**SURFACE
WOW**



WOW WOOD Reclaimed Wood Walls

HERRINGBONE

PAGE 209

CUBE


PAGE 211

STRIPES

PAGE 213


PLANKS

PAGE 215



**SURFACE
WOW**





**SURFACE
WOW**

202 / WOW WALLS

CHOOSE YOUR STYLE

HERRINGBONE



CUBE



The Wow Wood Panels are made of selected reclaimed and upcycled woods. They are lightweight and pre-assembled allowing a quick and easy installation.

STRIPES




PLANKS







**EASY
INSTALLATION**



**SURFACE
WOW**



HERRINGBONE




LIGHTWEIGHT AND ARE PREASSEMBLED FOR A QUICK AND EASY INSTALLATION.

A unique assembly of salvaged woods capturing the genuine look of rustic herringbone with colours inspired by nature.

Specifications

- Tile dimension 394mm x 490mm with a thickness of 10-16mm
- Packaging: Each box covers 1.02m2
- Wood: The Wow Wood Collection is made from 100 % salvaged mix of pine, spruce and fir wood and it has a light brushing texture appearance for interior finish.
- Application: suitable wall adhesive





**SURFACE
WOW**

CUBE



THE PANELS ARE LIGHTWEIGHT AND ARE PREASSEMBLED FOR A QUICK AND EASY INSTALLATION.

A unique assembly of salvaged woods giving you a WOW wall that will impress at first sight with colours inspired by nature. The reclaimed woods give you a sustainable wall option.

Specifications

- Tile dimension 215mm x 505 mm with a thickness of 10-16mm.
- Packaging: Each box covers 0.76m².
- Wood: The Wow Wood Collection is made from 100 % salvaged mix of pine, spruce and fir wood and it has a light brushing texture appearance for interior finish.
- Application: Suitable wall adhesive.





STRIPES





PANELS ARE LIGHTWEIGHT AND ARE PREASSEMBLED FOR A QUICK AND EASY INSTALLATION.

A unique assembly of salvaged woods with colours inspired by nature which brings a warmth and a wow to any interior.

Specifications

- Tile dimension 215mm x 505mm with a thickness of 10-16mm.
- Packaging: Each box covers 0.68m2.
- Wood: The Wow Wood Collection is made from 100 % salvaged mix of pine, spruce and fir wood and it has a light brushing texture appearance for interior finish.
- Application: suitable wall adhesive.





**SURFACE
WOW**

PLANKS




PLANKS ARE LIGHTWEIGHT AND ARE PREASSEMBLED FOR A QUICK AND EASY INSTALLATION.

A unique assembly of salvaged woods giving you a WOW wall that will impress at first sight with colours inspired by nature. The reclaimed woods give you a sustainable wall option.


Specifications

- The wood planks come in two sizes, plank A: 966mm x 75mm and Plank B: 405mm x 75mm, the box contains a mix of both with a total of 0.74m².
- Packaging: Each box covers 0.74m².
- Wood: The Wow Wood Collection is made from 100 % salvaged mix of pine, spruce and fir wood and it has a light brushing texture appearance for interior finish.
- Application: suitable wall adhesive.



WOW WALL

**ENJOY
SUSTAINABLE
MATERIALS AND
BRING YOUR
BRAND TO LIFE.**



***SURFACE
WOW***

GENCORK



100% **NATURAL** **CORK**

It is only used cork of the branches (falca) for the manufacture of cork granules. These are block clusters in an autoclave, a process that's 100% natural, without the use of additives. This technology consists of injecting water vapor through pellets that will expand and agglomerate with the resin of the cork itself.


This "cooking" also gives the resulting cork a dark color, like chocolate. During the production of the steam, biomass is used, which is obtained in milling and cleaning the falca, and that's what makes it a truly ecological production and without waste, with a 95% energy self-sufficiency. This super-material, cork, offers a huge range of advantages, because, in addition to being an excellent thermal and acoustic insulator and as well as antivibration, it's also a CO2 sink, playing a key role in the environment.



GENERATIVE DESIGN

The digital process is one of the most important elements of GENCORK's DNA. Adopting computational design strategies, the brand explores algorithmic scripts inspired by nature, as well as mathematics, geometry, and biomimetics, through parametric systems.

With this process, it's now possible to produce a huge range of different variations of a pattern, adapting it to any size or form.






**SURFACE
WOW**



**SEE OUR FULL RANGE OF
GENCORK PRODUCTS AT
WWW.SURFACEWOW.COM**

**SEE OUR FULL RANGE OF
GENCORK PRODUCTS AT
WWW.SURFACEWOW.COM**






**SURFACE
WOW**







***SURFACE
WOW***



SURFACE WOW

NATURAL SURFACES
WOW WALLS WITH A
NATURAL SURFACE

**ENJOY SUSTAINABLE
MATERIALS BY
BRINGING NATURE
TO YOUR WALLS
AND SURFACES.**



THE VISUAL EXPERIENCE


Thanks to a gentle production process, the natural features of scent, color and feel are preserved. Nature lovers will recognize the processed raw material at first sight.

FEEL

Curiosity is stirred and we move our hands and fingers across a tactile surface to feel its nuances and the individual parts of plants – leaf, stem, bud & husk.

SMELL.

No artificial aromas or colors are added and so our Natural Surfaces smell according to their natural characteristics and help to improve the room atmosphere.



EXPERIENCE AND ENJOY:

People feel most comfortable in a natural environment. After all, humans perceive the world around them with all their senses. Close your eyes and enjoy the sensory experience.

ABOUT ORGANOID® NATURAL SURFACES




Natural materials are mixed with an ecological binding agent and then pressed together during a careful pressing process into a thin layer – which may be 0.1 to 3 mm thick depending on the raw materials used. As a matter of practice, the natural surfaces are not treated and are delivered in their original quality.

ORGANOID® surfaces are practically emissions-free and allergy tested. They are free from ecological or other health concerns in addition to being climate friendly and manufactured in a CO2-neutral process in Tyrol, Austria.

In order to meet the very high standards of water, scratch, light and abrasion resistance, our surfaces can be sealed with conventional oils and varnishes.



MAKE YOUR SPACES SPARKLE WITH ORGANOID® WALLPAPER ON FLAX BACKING OR SELF-ADHESIVE FILM!





HOME

Bring sustainability to your space and enjoy the sensory experience.




**DELIVERING NATURE TO
YOUR WALLS IN A SIMPLE
AND STYLISH WAY.**



**ADD NATURAL VALUE TO
YOUR PRODUCTS WITH
ORGANOIDS NATURAL
SURFACES.**



**ENJOY SOOTHING SCENTS ON OFFICE
WALLS AND SURFACES BY ADDING
NATURAL SURFACES.**



**BRING YOUR BRAND TO
LIFE WITH SUSTAINABLE
MATERIALS.**



**ENJOY SUSTAINABLE
MATERIALS FOR AN
INSPIRING
WOW WALL.**



WE GREEN YOUR COMPANY

By using Organoids Natural Surfaces you are making a clear statement to your customers and employees that treating nature with respect is important to you. Adding natural surfaces allows you to approach the multiple senses of your customers.



WOW




**NO MORE
BORING WALLS.**



***THIS INNOVATIVE
WALL COATING
SYSTEMS ON
WALLPAPER NOT ONLY
LOOK AUTHENTIC,
THEY ARE ALSO
TACTILE.***

AUTHENTIC MINERAL SURFACES GIVING YOU A UNIQUE INDUSTRIAL LOOK FOR EVERY WALL AND SURFACE

WALLPARTURE is an amazing product that has to be seen to be believed, it was born from the idea of creating a product that could give you that real look and feel of industrial surfaces like concrete and rust but could be applied with the efficiency of applying a wallpaper but without neglecting the quality touch and feel of these industrial surfaces.




SURFACE WOW

WALL RAPTURE PROMISES A UNIQUE INDUSTRIAL LOOK FOR EVERY WALL AND EVERY OBJECT

HANDMADE IN Germany to the highest standards by a company with years of experience in creative wall design combined with specialist know how in the production of concrete surfaces.

With this WALL RAPTURE WAS BORN giving you an amazing collection of authentic industrial look mineral surfaces all on a roll giving you a quality product that it quick and easy to apply.



***SURFACE
WOW***

PROCESSING


Processors are also impressed by the simple, clean and broad application. Thanks to their thin-layered and flexible nature, these wallpaper-like products can be applied quickly and quickly to almost all load-bearing surfaces.

Once applied, the flame-retardant and breathable membranes can be processed further with additional products such as glazes and seals.



This enables the craftsman to put his individual stamp on every building project. Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and modeling and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.







SURFACE WOW

WALL RAPTURE

CONCRETE STANDARD	PAGE 280
CONCRETE STANDARD ANTHRACITE	PAGE 282
RUST CONCRETE	PAGE 284
RUST CONCRETE ANTHRACITE	PAGE 286
VINTAGE CONCRETE	PAGE 290
VINTAGE CONCRETE ANTHRACITE	PAGE 292
RUST STANDARD	PAGE 294



CONCRETE STANDARD

OUR “CLASSIC” CONCRETE STANDARD CONVINCES IN LOOK AND FEEL AND IS IN NO WAY INFERIOR TO A REAL CONCRETE WALL. THE INCORPORATED CAVITIES GIVE EVERY WALL A REALISTIC EXPOSED CONCRETE LOOK.


Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.

Product		Features	
Material	Fleece Rock Dispersion	Features	<ul style="list-style-type: none">• Authentic, standardized putty and rust surfaces• Mineral, over 70% natural rock material• 100% handmade in Germany• BPA, epoxy resin and odor free• CE certified• Real look and feel – like real concrete and cortex bodies• Easy and quick processing, also on curves and edges• Breathable• Thin, light and flexible• Holds on all stable surfaces• Cheaper and faster transport• No construction dust and noise
Format	300×100 cm ~ 1 cm		
Total weight	0.8 kg / m2 ~ 0.2 kg / m2 (of which 0.04 kg / m2 fleece)		
Total	1.2mm ~ 0.5mm		
Roll weight	2.4 kg ~ 0.6 kg / m2		
Packaging	Wallpaper glue and grout included		

Fire resistance: Fire behavior according to DIN EN 13501-1: 2010-10: C-s1, d0

* also available in B-s1, d0

Certification: DIN EN 15102 for decorative wallcovering (CE certified)



**SURFACE
WOW**

CONCRETE STANDARD ANTHRACITE

WE ALSO OFFER OUR “CLASSIC” CONCRETE STANDARD IN ANTHRACITE. AT THE CUSTOMER’S REQUEST, WE CAN ALSO PRODUCE OUR CONCRETE STANDARD IN OTHER COLORS.

Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.

Product

Material	Fleece Rock Dispersion
Format	300×100 cm ~ 1 cm
Total weight	0.8 kg / m2 ~ 0.2 kg / m2 (of which 0.04 kg / m2 fleece)
Total thickness	1.2mm ~ 0.5mm
Roll weight	2.4 kg ~ 0.6 kg / m2
Packaging	Wallpaper glue and grout included


Features

- Features**
- Authentic, standardized putty and rust surfaces
 - Mineral, over 70% natural rock material
 - 100% handmade in Germany
 - BPA, epoxy resin and odor free
 - CE certified
 - Real look and feel – like real concrete and cortex bodies
 - Easy and quick processing, also on curves and edges
 - Breathable
 - Thin, light and flexible
 - Holds on all stable surfaces
 - Cheaper and faster transport
 - No construction dust and noise

Fire resistance: Fire behavior according to DIN EN 13501-1: 2010-10: C-s1, d0

* also available in B-s1, d0

Certification: DIN EN 15102 for decorative wallcovering (CE certified)



RUST CONCRETE

IN OUR RUST CONCRETE WALLPAPER, THE VOIDS OF OUR “CLASSIC” ARE HIGHLIGHTED WITH RUST. THIS CREATES A SPECIAL INDUSTRIAL DESIGN WITH THAT CERTAIN SOMETHING.

Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.

Product

Material	Fleece Rock Dispersion
Format	300×100 cm ~ 1 cm
Total weight	0.8 kg / m2 ~ 0.2 kg / m2 (of which 0.04 kg / m2 fleece)
Total thickness	1.2mm ~ 0.5mm
Roll weight	2.4 kg ~ 0.6 kg / m2
Packaging	Wallpaper glue and grout included

Features

- | | |
|-----------------|---|
| Features | <ul style="list-style-type: none">• Authentic, standardized putty and rust surfaces• Mineral, over 70% natural rock material• 100% handmade in Germany• BPA, epoxy resin and odor free• CE certified• Real look and feel – like real concrete and cortex bodies• Easy and quick processing, also on curves and edges• Breathable• Thin, light and flexible• Holds on all stable surfaces• Cheaper and faster transport• No construction dust and noise |
|-----------------|---|

Fire resistance: Fire behavior according to DIN EN 13501-1: 2010-10: C-s1, d0

* also available in B-s1, d0

Certification: DIN EN 15102 for decorative wallcovering (CE certified)



RUST CONCRETE ANTHRACITE

WE ALSO PRODUCE OUR RUST CONCRETE WALLPAPER IN THE COLOR ANTHRACITE. THIS CREATES AN EVEN GREATER CONTRAST BETWEEN THE CONCRETE AND THE RUST. THIS CREATES A SPECIAL INDUSTRIAL DESIGN WITH THAT CERTAIN SOMETHING.

Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.

Product

Material	Fleece Rock Dispersion
Format	300×100 cm ~ 1 cm
Total weight	0.8 kg / m2 ~ 0.2 kg / m2 (of which 0.04 kg / m2 fleece)
Total thickness	1.2mm ~ 0.5mm
Roll weight	2.4 kg ~ 0.6 kg / m2
Packaging	Wallpaper glue and grout included


Features

- | | |
|----------|---|
| Features | <ul style="list-style-type: none">• Authentic, standardized putty and rust surfaces• Mineral, over 70% natural rock material• 100% handmade in Germany• BPA, epoxy resin and odor free• CE certified• Real look and feel – like real concrete and cortex bodies• Easy and quick processing, also on curves and edges• Breathable• Thin, light and flexible• Holds on all stable surfaces• Cheaper and faster transport• No construction dust and noise |
|----------|---|

Fire resistance: Fire behavior according to DIN EN 13501-1: 2010-10: C-s1, d0

* also available in B-s1, d0

Certification: DIN EN 15102 for decorative wallcovering (CE certified)



**SURFACE
WOW**



VINTAGE CONCRETE

IN OUR VINTAGE CONCRETE, CRACKS AND DEPRESSIONS CREATE A “WORN” STRUCTURE THAT MAKES FOR A PERFECT INDUSTRIAL WALL DESIGN.

Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.

Product

Material	Fleece Rock Dispersion
Format	300×100 cm ~ 1 cm
Total weight	0.8 kg / m2 ~ 0.2 kg / m2 (of which 0.04 kg / m2 fleece)
Total thickness	1.2mm ~ 0.5mm
Roll weight	2.4 kg ~ 0.6 kg / m2
Packaging	Wallpaper glue and grout included

Features

- Features**
- Authentic, standardized putty and rust surfaces
 - Mineral, over 70% natural rock material
 - 100% handmade in Germany
 - BPA, epoxy resin and odor free
 - CE certified
 - Real look and feel – like real concrete and cortex bodies
 - Easy and quick processing, also on curves and edges
 - Breathable
 - Thin, light and flexible
 - Holds on all stable surfaces
 - Cheaper and faster transport
 - No construction dust and noise

Fire resistance: Fire behavior according to DIN EN 13501-1: 2010-10: C-s1, d0

* also available in B-s1, d0

Certification: DIN EN 15102 for decorative wallcovering (CE certified)



VINTAGE CONCRETE ANTHRACITE

IN OUR VINTAGE CONCRETE, CRACKS AND DEPRESSIONS CREATE A “WORN” STRUCTURE IN THE COLOR ANTHRACITE, WHICH ENSURES A PERFECT INDUSTRIAL WALL DESIGN.



Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.

Product		Features	
Material	Fleece Rock Dispersion	Features	<ul style="list-style-type: none">• Authentic, standardized putty and rust surfaces• Mineral, over 70% natural rock material• 100% handmade in Germany• BPA, epoxy resin and odor free• CE certified• Real look and feel – like real concrete and cortex bodies• Easy and quick processing, also on curves and edges• Breathable• Thin, light and flexible• Holds on all stable surfaces• Cheaper and faster transport• No construction dust and noise
Format	300×100 cm ~ 1 cm		
Total weight	0.8 kg / m2 ~ 0.2 kg / m2 (of which 0.04 kg / m2 fleece)		
Total thickness	1.2mm ~ 0.5mm		
Roll weight	2.4 kg ~ 0.6 kg / m2		
Packaging	Wallpaper glue and grout included		

Fire resistance: Fire behavior according to DIN EN 13501-1: 2010-10: C-s1, d0

* also available in B-s1, d0

Certification: DIN EN 15102 for decorative wallcovering (CE certified)



**SURFACE
WOW**

RUST STANDARD

REAL METALS ARE USED IN OUR RUST, WHICH CREATE AN AUTHENTIC AND HAPTICALLY REAL RUSTY LOOK. WITH OUR STANDARD GRATE, YOU CAN TRANSFORM WALLS OR OBJECTS INTO REAL CORTEX BODIES.

Rolled up, the customer receives our 300x100cm strips packed in a cardboard box, including glue and grout. The material can be cut to the desired size on a flat surface with a craft knife without any problems.

Product

Material	Fleece Rock Dispersion
Format	300×100 cm ~ 1 cm
Total weight	0.8 kg / m ² ~ 0.2 kg / m ² (of which 0.04 kg / m ² fleece)
Total thickness	1.2mm ~ 0.5mm
Roll weight	2.4 kg ~ 0.6 kg / m ²
Packaging	Wallpaper glue and grout included


Features

- Features**
- Authentic, standardized putty and rust surfaces
 - Mineral, over 70% natural rock material
 - 100% handmade in Germany
 - BPA, epoxy resin and odor free
 - CE certified
 - Real look and feel – like real concrete and cortex bodies
 - Easy and quick processing, also on curves and edges
 - Breathable
 - Thin, light and flexible
 - Holds on all stable surfaces
 - Cheaper and faster transport
 - No construction dust and noise

Fire resistance: Fire behavior according to DIN EN 13501-1: 2010-10: C-s1, d0

* also available in B-s1, d0

Certification: DIN EN 15102 for decorative wallcovering (CE certified)




**SURFACE
WOW**



**SURFACE
WOW**

FORM AT WOOD


**BRING NATURE INTO
YOUR SPACE**



THE IDEA OF CREATING OUR PRODUCTS WAS BORN OF THE DESIRE TO BRING OURSELVES CLOSER TO NATURE.

Our unique range of 3D panel designs takes the use of interior wall panelling beyond the use of standard flat solutions, to new dimensions. Owing to their specific form, our panels improve the microclimate and the acoustic properties of interiors, whilst their modern design aesthetic and natural character decoratively transforms spaces.

We hope you will be inspired by the natural beauty, quality, durability and diversity of our collection, and explore how our products can bring nature into your space.





SURFACE WOW

FORM AT WOOD

EDGE SERIES PYRAMID	PAGE 306
EDGE SERIES DIAMOND	PAGE 308
EDGE SERIES PILLOW	PAGE 310
SMOOTH SERIES CARO PLUS	PAGE 312
SMOOTH SERIES CARO MINUS	PAGE 314
SMOOTH SERIES CARO MINUS / PLUS	PAGE 316
FLAT SERIES TRIANGLE	PAGE 318
FLAT SERIES CARO	PAGE 320
FLAT SERIES SQUARE	PAGE 322



EDGE SERIES PYRAMID


The EDGE SERIES is a line of wall panels characterized by striking geometric forms. Simplicity and asymmetrical shapes allow designing many unexceptional compositions. Modest and straightforward surface refractions emphasize the uniqueness of the wood grain, bringing out its hidden beauty.

PRODUCT FEATURES:

- Panel with an equilateral triangle profile
- No symmetry, the surface is refracted at three different angles
- Minimalistic design
- Geometric form that perfectly matches any interior
- Arrangement in the form of a pattern as well as the entire wall

PRODUCT SPECIFICATION:

- Thickness: 25mm
- Material: engineered plywood + wood
- Wood type: oak / american walnut
- Finish: satin oil
- Side width: 25cm
- Weight: 350g
- 1m² = 38 pcs.



EDGE SERIES DIAMOND


The EDGE SERIES is a line of wall panels characterized by striking geometric forms. Simplicity and asymmetrical shapes allow designing many unexceptional compositions. Modest and straightforward surface refractions emphasize the uniqueness of the wood grain, bringing out its hidden beauty.

PRODUCT FEATURES:

- Panel with an equilateral rhombus profile
- Geometric diamond-like form
- Many surfaces that refract light and disperse sound
- Variety of visual effects
- The effect of spaciousness combined with elegance and
- Simplicity

PRODUCT SPECIFICATION:

- Thickness: 30mm
- Material: engineered plywood + wood
- Wood type: oak / american walnut
- Finish: satin oil
- Side width: 25cm
- Weight: 800g
- 1m² = 19 pcs.





EDGE SERIES PILLOW


The EDGE SERIES is a line of wall panels characterized by striking geometric forms. Simplicity and asymmetrical shapes allow designing many unexceptional compositions. Modest and straightforward surface refractions emphasize the uniqueness of the wood grain, bringing out its hidden beauty.

PRODUCT FEATURES:

- Square profile panel
- Five asymmetrical planes refracted at different angles
- The effect of soft pillows
- The possibility of arrangement in a checkered layout of grains
- Ease of assembly thanks to the perpendicular form

PRODUCT SPECIFICATION:

- Thickness: 30mm
- Material: engineered plywood + wood
- Wood type: oak / american walnut
- Finish: satin oil
- Side width: 25cm
- Weight: 950g
- 1m² = 16 pcs.





SMOOTH SERIES CARO PLUS



The SMOOTH SERIES was inspired by organic forms that come directly from nature. The subtle form of the panels becomes the background for the light, which creates an unusual play of shadows. SMOOTH SERIES is an exclusive line of panels characterized by elegance and subtlety, creating a unique atmosphere and prestige in the interior.


PRODUCT FEATURES:

- Panel with an equilateral rhombus profile
- One-sided symmetry
- Soft, delicate form
- Smooth, organic surface
- Variety of arrangements in many spatial effects
- Possibility to connect with Caro Minus

PRODUCT SPECIFICATION:

- Thickness: 30mm
- Material: engineered plywood + wood
- Wood type: oak / american walnut
- Finish: satin oil
- Side width: 25cm
- Weight: 800g
- 1m² = 19 pcs.





SMOOTH SERIES CARO MINUS

The SMOOTH SERIES was inspired by organic forms that come directly from nature. The subtle form of the panels becomes the background for the light, which creates an unusual play of shadows. SMOOTH SERIES is an exclusive line of panels characterized by elegance and subtlety, creating a unique atmosphere and prestige in the interior.


PRODUCT FEATURES:

- Panel with an equilateral rhombus profile
- One-sided symmetry
- Soft, delicate form
- Variety of visual effects
- Configurable in hexagon form
- Possibility to connect with Caro Plus

PRODUCT SPECIFICATION:

- Thickness: 30mm
- Material: engineered plywood + wood
- Wood type: oak / american walnut
- Finish: satin oil
- Side width: 25cm
- Weight: 800g
- 1m² = 19 pcs.





SMOOTH SERIES CARO MINUS / PLUS


The SMOOTH SERIES was inspired by organic forms that come directly from nature. The subtle form of the panels becomes the background for the light, which creates an unusual play of shadows. SMOOTH SERIES is an exclusive line of panels characterized by elegance and subtlety, creating a unique atmosphere and prestige in the interior.

PRODUCT FEATURES:

- Panel with an equilateral rhombus profile
- One-sided symmetry
- Soft, delicate form
- Variety of visual effects
- Configurable in hexagon form
- Possibility to connect with Caro Plus

PRODUCT SPECIFICATION:

- Thickness: 30mm
- Material: engineered plywood + wood
- Wood type: oak / american walnut
- Finish: satin oil
- Side width: 25cm
- Weight: 800g
- 1m² = 19 pcs.





FLAT SERIES TRIANGLE

The FLAT SERIES was created to achieve better geometric effects and extend the possibility of designing wall compositions. In combination with 3D panels, FLAT SERIES products allow to create unique patterns, further emphasizing the spatial form of 3D panels. They can also serve as a simple and elegant facade in places that do not require spatial compositions.

PRODUCT FEATURES:

- Arrangement in the form of a pattern or the entire wall
- Minimalistic design
- Elegance and simplicity
- Variety of visual effects
- Possibility to connect with EDGE and SMOOTH series

PRODUCT SPECIFICATION:

- Thickness: 14,5mm
- Material: engineered plywood + wood
- Wood type: oak / american walnut
- Finish: satin oil
- Side width: 25cm





FLAT SERIES CARO

The FLAT SERIES was created to achieve better geometric effects and extend the possibility of designing wall compositions. In combination with 3D panels, FLAT SERIES products allow to create unique patterns, further emphasizing the spatial form of 3D panels. They can also serve as a simple and elegant facade in places that do not require spatial compositions.


PRODUCT FEATURES:

- Arrangement in the form of a pattern or the entire wall
- Minimalistic design
- Elegance and simplicity
- Variety of visual effects
- Possibility to connect with EDGE and SMOOTH series

PRODUCT SPECIFICATION:

- Thickness: 14,5mm
- Material: engineered plywood + wood
- Wood type: oak / american walnut
- Finish: satin oil
- Side width: 25cm





FLAT SERIES SQUARE


The FLAT SERIES was created to achieve better geometric effects and extend the possibility of designing wall compositions. In combination with 3D panels, FLAT SERIES products allow to create unique patterns, further emphasizing the spatial form of 3D panels. They can also serve as a simple and elegant facade in places that do not require spatial compositions.

PRODUCT FEATURES:


- Arrangement in the form of a pattern or the entire wall
- Minimalistic design
- Elegance and simplicity
- Variety of visual effects
- Possibility to connect with EDGE and SMOOTH series

PRODUCT SPECIFICATION:

- Thickness: 14,5mm
- Material: engineered plywood + wood
- Wood type: oak / american walnut
- Finish: satin oil
- Side width: 25cm







UNIT 7 AIRTON CLOSE,
TALLAGHT, D 24,
IRELAND

TEL: +353 1 567 6200
INFO@SURFACEWOW.COM

WWW.SURFACEWOW.COM